NUMERICAL REPRESENTATION OF PARTIAL ORDERINGS*

Carmen Herrero and Begoña Subiza**

WP-AD 92-03

^{*} This paper is based on Chapter 2 in Subiza (1992). Thanks are due to J.E. Peris, D. Schmeidler, A. Villar and the participants in the Seminar on Nonconventional Preference Modelling held in Alicante, February 1992, for helpful suggestions. Financial support from the Spanish D.G.C.Y.T., under project PS89-0066 is gratefully acknowledged.

^{**} C. Herrero: Instituto Valenciano de Investigaciones Económicas and University of Alicante; B. Subiza: University of Alicante.

Editor: Instituto Valenciano de Investigaciones Económicas, S.A. Primera Edición Julio 1992.

ISBN: 84-7890-909-5

Depósito Legal: V-2502-1992

Impreso por KEY, S.A., Valencia. Cardenal Benlloch, 69, 46021-Valencia.

Printed in Spain.

NUMERICAL REPRESENTATION OF PARTIAL ORDERINGS Carmen Herrero & Begoña Subiza

ABSTRACT

In this paper a numerical representation of preferences by means of subsets of the real line is proposed. This representation turns out to be natural for partial orderings. Some results on this representation, extending those for utility functions and pairwise representations, are provided for this case.



1.- INTRODUCTION

Consider an agent who has to choose an element within a possibility set X, according to a binary relation) defined on X, such that x) y means that x is strictly preferred to y. Relation) is called a *preference relation* whenever it is asymmetric, in the sense that

$$x > y$$
 entails $not(y > x)$ $x,y \in X$.

A partial ordering is a transitive preference relation, in the sense that x) y, and y) z implies x) z $x,y,z \in X$.

If a preference relation) is defined on a set X, two other binary relations on X are defined in a standard way: the preference-indifference relation,), such that x) y if and only if not(y) x), (which turns out to be reflexive and complete), and the indifference relation, \sim , such that x \sim y if and only if x) y, and y) x, simultaneously (which is reflexive and symmetric).

It is quite frequent to assume that the agent's preferences are representable by means of a real function $u:X\to\mathbb{R}$, in such a way that x) y if and only if u(x) > u(y). Function u is referred to as a utility function. Assuming that the agent's preferences are representable by a utility function ensures that both) and \sim are transitive [i.e., if x) y, and y) z, then x > z, and if x \sim y, y \sim z, then x \sim z]. In this case the preference relation is called a preorder.

It is obvious then that, in general, a partial ordering cannot be represented by means of a utility function. Nonetheless, the following case has been considered for representing partial orderings: Suppose that a function $u:X \to \mathbb{R}$ exists such that x) y entails u(x) > u(y). Let us call weak utility function the aforementioned function u [cf. Fishburn (1970), Peleg (1970), Richter (1971), Majundar & Sen (1976)]. The existence of a weak utility function implies that) is acyclic, a less restrictive condition that being a partial ordering [confront Bridges (1983b)].

Notice that when having a weak utility function, from u(x) > u(y) it does not follow that x > y. In consequence, the representation provided by a weak utility functions is of a different nature from that one provided by a utility function.

Looking for a representation of preferences less restrictive than preorders, Fishburn (1973) studies the case in which the preference relation \rangle on X is representable by means of two real functions, $u,v:X\to\mathbb{R},\ v(x)\geq u(x)\ \forall\ x\in X,$ in such a way that x \rangle y if and only if u(x) \rangle v(y). The existence of the previous pairwise numerical representation implies that the preference relation is pseudotransitive, that is,

if x > y, y
$$\gtrsim$$
 z, z > t, then x > t

Notice that, under pseudotransitivity, the indiference relation \sim is not necessarily transitive, but the strict preference relation \rangle is transitive. A pseudotransitive preference relation is usually called an

interval order. Thus, interval orders constitute an intermediate case between preoders and partial orderings.

The aim of this paper is to provide numerical representations for partial orderings in a similar way to those representations provided for preorders and interval orders by means of utility functions and pairwise representations. In so doing, we introduce, in Section 2, the so called *net-nepresentation*, in which we associate a subset S(x) of $\mathbb R$ to every element x in the possibility set, in such a way that whenever x) y, then $S(x) \supset S(y)$. If a preference relation admits a set-representation, then it is a partial ordering. Section 3 is devoted to the case of a countable possibility set X. In this case, a preference relation admits a set-representation if and only if it is a partial ordering. Section 4 introduces additional conditions under which a partial ordering admits a set-representation in the uncountable case. Some final comments and remarks, in Section 5, close the paper.

2.- PARTIAL ORDERINGS AND SET-REPRESENTATION

A preference relation) on a set X is called a *Partial Ordering* if whenever x) y; y) z, then x) z. It is worth noticing that both preorders and interval-orders are partial orderings. An example of a partial ordering which is not an interval-order is the Pareto relation in $X = \mathbb{R}^n$.

For a given set A, let $X=2^A$ the possibility set, and consider the following preference relation: given B, $C \in X$ [B, $C \subseteq A$], B > C iff B > C. Obviously, this preference relation is a partial ordering. This example motivates the following definition:

Definition 1.- Let) be a preference relation on a set X. A set-valued mapping $S:X \to \mathbb{R}$ is a set-representation of), if

- (i) $\forall x \in X$, $S(x) \neq \emptyset$, S(x) is a bounded set.
- (ii) $x > y \longleftrightarrow S(y) \subset S(x)$, sup $S(y) < \sup S(x)$.

Observe that, when the preference relation admits a representation by means of a utility function, then it also admits a set-representation, by taking $S(x) = (-u(x), u(x)], u:S \longrightarrow \mathbb{R}$ being a utility function with positive values (notice that if the initial utility function has no positive values, we can take a monotone transformation with positive values, by taking $v(x) = \exp u(x)$).

Similarly, if a preference relation admits a numerical representation by means of two real functions, $u,v:X\to\mathbb{R}$ [which, as before can be taken with positive values], then a set-representation is easily constructed by taking $S(x) = (-u(x), u(x)) \cup \{v(x)\}.$

The existence of a set-representation has an immediate consequence:

Proposition 1.- If a preference relation \rangle over a set X admits a set-representation, $S:X \to \mathbb{R}$, then \rangle is a partial ordering. Furthermore, a weak utility function for \rangle can be defined by considering $u:X \to \mathbb{R}$, $u(x) = \sup S(x)$.

3.- THE COUNTABLE CASE

In the case X is a finite or countable set, the converse of the first part in Proposition 1 also holds true. In order to get this result, let us start by the following lemma, which ensures the existence in this case of a weak utility function with additional properties:

Lemma 1.- Let X be a countable set. If) is a partial ordering on X, there exists an injective function $u:X\to\mathbb{R}_+$ such that x) y implies u(x)>u(y).

Proof:

Let $X = \{x_i, i \in \mathbb{N}\}$, and define $D(x_j) = \{k \in \mathbb{N} \mid x_k \in x_j\}$. Let now define $u(x_j) = \sum_{k \in D(x_j)} \frac{1}{5^k} + \frac{1}{5^j}$. Notice that if $x_j > x_r$, then $D(x_j) > D(x_r)$.

Moreover, $j \notin D(x_r)$, but $r \in D(x_j)$. Therefore, $u(x_i) > u(x_r)$.

Additionally, u is trivially injective, since in the case that $u(x_j) = u(x_r)$, with $r \neq j$, we will have, simultaneously, $x_r > x_j$ and $x_j > x_r$, which is a contradiction.

Then, we get the following result:

Proposition 2.- Let X be a countable set, and) a preference relation on X. Then, the following conditions are equivalent:

- (i)) is a partial ordering
- (ii)) admits a set-representation.

Proof:

We only have to prove (i) => (ii). By lemma 1, there exists $u:X \to \mathbb{R}$ such that u is injective and $x \to y => u(x) > u(y)$. Define then $S:X \to \mathbb{R}$ in the following way: $S(x) = \{ u(z) \mid z \in x \} \cup \{u(x)\}$.

Since $u(x) \in S(x) \ \forall \ x \in X$, $S(x) \neq \emptyset$. By construction, $S(x) \subset \mathbb{R}_+$, and $u(x) = \sup S(x)$. Therefore, S(x) is bounded.

Suppose now that x > y. Then, S(x) > S(y). Additionally, $u(x) \in S(x)$, but $u(x) \notin S(y)$, and therefore $S(y) \neq S(x)$. Moreover,

$$u(y) = \sup S(y) < \sup S(x) = u(x).$$

Conversely, suppose that $S(x) \supset S(y)$, sup $S(x) > \sup S(y)$. Then, we cannot have y > x. Since $S(y) \subset S(x)$, then, $u(y) \in S(x)$. This only can hold true if $y \in x$, since $u(y) \neq u(x)$, and therefore, S(x) = x is a set-representation of).

Since utility functions and pairwise representation give rise to set-representations, Proposition 2 can be seen as the extension of the analogous representation results, in the countable case, for preorders (see Debreu (1954)) and interval-orders (see Fishburn (1970) or Bridges (1983b), Theorem 2).

4.- THE UNCOUNTABLE CASE

In the case the opportunity set X is uncountable, it is not possible, in general, to obtain a set-representation for any partial ordering. To see this, consider the lexicographical order on $\mathbb{R}\times\{0,1\}$, which is a partial preordering, and suppose a set-representation $S:\mathbb{R}\times\{0,1\}\longrightarrow\mathbb{R}$ for this preference relation. Since there are no indifferent elements, the weak utility function associated to S turns out to be a utility function, which does not exist in this case, as it is well known. So, additional conditions are required in order to get set-representations uncountable opportunity sets.

In order to get numerical representations (utility functions, pairwise representations or weak utility functions) in the uncountable case, separability conditions on the preference relation are required. Furthermore, it is usual to assume some cardinality or topological properties on the opportunity set [see Debreu (1954) (1964), Fishburn (1970) (1983) or Monteiro (1987) for the preorder case, and Bridges (1983a) (1985) or Chateauneuf (1987), for the interval-order case]. In a similar way, we will consider two different separability conditions on the preference relation, which, combined with cardinality or topological requirements on the opportunity set convey to the existence of a set-sepresentation in this case.

Adopting Herden's terminology, we will say that a preference relation $\hbox{$\rangle$ on X is $\textit{weakly separable}$ if a countable subset $G\subseteq X$ exists such that,}$

whenever x, $y \in X$ are such that $x \ni y$, then two elements $g_1, g_2 \in G$ can be found such that $x \ni g_1 \ni g_2 \ni y$. A preference relation \ni on X is *departable* if a countable subset $G \subseteq X$ exists such that, whenever $x, y \in X$ are such that $x \ni y$, an element $g \in G$ can be found in such a way that $x \ni g \ni y$. Obviously, if \ni is separable, then it is weakly separable (see Herden (1989a,b)).

Remark: The concept of weak separability was introduced by Chateauneuf (1987), but he used the term strong separability.

Let χ_1 denote the cardinal of $\mathbb R$. By combining weak separability of the preference relation with a cardinality condition on the opportunity set, the following result is obtained:

Proposition 3.- Let) be a weakly separable preference relation on a set X, such that $card(X) \le \chi_1$. Then,) admits a set representation if and only if it is a partial ordering.

Proof:

Since card(X) $\leq \chi_1$, an injective function v:X \rightarrow (0,1/2) can be defined.

Let us now to construct a weak utility function, by using the weak separability condition. Since) is weakly separable, a countable subset G of X exists, such that whenever x y, g_1 , g_2 \in G can be found such that

$$x \rightarrow g_1 \gtrsim g_2 \rightarrow y$$

Let now define $E(x) = \{g_i \in G \mid x \rangle g_i\}$, and consider the following mapping:

$$u:X \to \mathbb{R} , \qquad u(\mathbf{x}) = \begin{cases} 1 & \text{if } \mathbb{E}(\mathbf{x}) = \emptyset \\ \\ 1 + \sum_{g_i \in \mathbb{E}(\mathbf{x})} \frac{1}{5^i} & \text{otherwise} \end{cases}$$

It is easy to see that u is a weak utility function for $\$: If x > y, then $E(x) \supseteq E(y)$. Moreover, there exist g_k , g_r such that $x > g_r \ge g_k > y$, and therefore $g_r \in E(x)$, $g_r \notin E(y)$ and u(x) > u(y).

Now, construct $S:X \longrightarrow \mathbb{R}$ as follows:

$$S(x) = \{u(z), v(z) \mid x \rangle z\} \cup \{u(x), v(x)\}$$

S(x) is nonempty and bounded for any $x \in X$. Furthermore, $\sup S(x) = u(x)$. Let us now to check that S is a set-representation of).

If x > y, $S(x) \supseteq S(y)$. Moreover, $v(x) \in S(x)$, $v(x) \notin S(y)$, and thus, $S(x) \supset S(y)$. Additionally, u(x) > u(y), since u is a weak utility function.

Conversely, if $S(x) \supset S(y)$, and $\sup S(x) > \sup S(y)$, we get $x \ge y$. Furthermore, since $v(y) \in S(x)$, and v is injective, only two possibilities are open: x > y, or x = y. But this last equality is not possible, since $S(x) \neq S(y)$. So, x > y, and S is a set-representation of $S(x) \neq S(y)$.

As a corollary of Proposition 3, we get:

Proposition 4.- Let) be a weakly separable preference relation on a separable topological space X. Then,) admits a set-representation if and only if it is a partial ordering.

Proof:

It is enough to check that if X is separable, then $\operatorname{card}(X) \leq \chi_1$. The separability of X indicates that a countable subset $D \subseteq X$ exists such that $\operatorname{cl}(D) = X$, $\operatorname{cl}(D)$ being the topological closure of D. Thus, for every $\mathbf{x} \in X$, a sequence $\left\{ d_{\mathbf{n}(\mathbf{x})} \right\} \subseteq D$ can be chosen such that $\lim_{\mathbf{n}(\mathbf{x})} d_{\mathbf{n}(\mathbf{x})} = \mathbf{x}$, and therefore we can associate with \mathbf{x} the sequence of natural numbers $\{\mathbf{n}(\mathbf{x})\}$. In consequence the cardinality of X is less or equal than the cardinality of the set of sequences of natural numbers, that is, χ_1 .

Peleg (1970) studies a case under which a continuous weak utility function can be defined for a partial ordering on a topological space. We shall say that a preference relation) on a topological space X is continuous if $L(x) = \{y \in X / x \mid y\}$ is open , $\forall x \in X$. If we consider the case of a continuous partial ordering, by properly redefining the weak utility function u Proposition 3, Peleg's in in order to use representation, we get the following result:

Proposition 5.- Let X be a topological space, such that $card(X) \le \chi_1$, and let) be a preference relation on X such that:

- (i)) is a continuous and separable partial ordering.
- (ii) Whenever x > y, then $Cl\{z \in X \mid y > z\} \subseteq \{z \in X \mid x > z\}$

Then,) admits a set-representation S:X \to R, such that u:X \to R, u(x) = sup S(x) is continuous.

5.- FINAL REMARKS

In this paper a new type of numerical representation of preferences (by means of subsets of the real line) has been defined, as the natural extension of previous numerical representations (for preordes and interval-orders) to partial orderings. Similar results to those at hand for utility functions and pairwise representations have been obtained, as well as the relationship between the proposed set-representation and the (only one way) weak utility function.

It is worth mentioning that, whenever a set-representation $S:X \to \mathbb{R}$ can be defined for a preference relation A over A, any monotone transformation of A does also the work (that is, if we consider a monotone function A m:A A monotone A transformation of A has a considering A monotone A monotone function A monotone A monotone

As it has been pointed out, a weak utility function $u:X \longrightarrow \mathbb{R}$, such that x) $y \Rightarrow u(x) > u(y)$ does not characterize the preference relation). We constructed the set-representation by properly adding up some elements to the weak representation, in order to get a characterization result. Nevertheless, it is interesting to observe that, as sup S keeps being a weak utility function, no information is lost, and moreover, we obtained a full characterization property.

It may be interesting to ilustrate the role of sup S(y) < Sup S(x) in definition 1, by means of the following example: consider the

lexicographical ordering on $]0,1[\times(0,1),$ and the set-valued mapping S: $]0,1[\times(0,1)] \longrightarrow \mathbb{R}$, S(x,0)=(0,x); S(x,1)=(0,x]. It is clear that

$$(x,s)$$
 \downarrow $(x',s') \longleftrightarrow S(x,s) \supset S(x',s')$

but nevertheless, the condition on Sup(x,s) fails to hold. Obviously, as it was mentioned before, there is no any set-representation for the lexicographical ordering on]0,1[\times $\{0,1\}$, since it does not admit any weak utility function.

Finally notice that, in the case whereby the preference relation $S:X \to \mathbb{R}$ then an element $\mathbf{x}^* \in X$ is maximal if and only if $\sup S(\mathbf{x}^*) \geq \sup S(\mathbf{x})$, $\forall \mathbf{x} \in X$ such that $S(\mathbf{x}^*) \subset S(\mathbf{x})$. Therefore, we may use function $\sup S$ in order to get maximal elements of S.

EN BUTTY CO

REFERENCES

- Bridges, D.S. "A Numerical Representation of Preferences with Intransitive Indifference, *Journal of Mathematical Economics* 11:25-44 (1983a).
- Bridges, D.S. "Numerical Representation of Intransitive Preferences on a Countable Set, *Journal of Economic Theory* 30:213-217 (1983b).
- Bridges, D.S. "Representing Interval-Orders by a Single Real-Valued Function, *Journal of Economic Theory* 36:149-165 (1985).
- Chateauneuf, A. "Continuous Representation of a Preference Relation on a Connected Topological Space, *Journal of Mathematical Economics* 16:139-146 (1987).
- Debreu, G. "Representation of a Preference Ordering by a Numerical Function", in *Decision Processes*, ed. by R.M. Thrall, C.H. Coombs and R.L. Davis, New York: Wiley (1954).
- Debreu, G. "Continuous Properties of Paretian Utility", *International Economic Review*, 5:285-293 (1964).
- Fishburn, P.C. "Suborders on Commodity Spaces", Journal of Economic Theory, 2:321-328 (1970).
- Fishburn, P.C. "Interval representations for interval orders and semiorders", *Journal of Mathematical Psychology*, 7:144-149 (1973).
- Fishburn, P.C. "Utility Functions on Ordered Convex Sets", *Journal of Mathematical Economics* 12:221-232 (1983).

- Herden, G. "On the Existence of Utility Functions", *Mathematical Social Sciences*, 17: 297-313 (1989a).
- Herden, G. "On the Existence of Utility Functions II", Mathematical Social Sciences, 18: 107-117 (1989b).
- Majundar, M. & Sen, A. "A Note on representing Partial Orderings", *Review of Economic Studies* 43: 543-545 (1976).
- Monteiro, P.K. "Some Results on the Existence of Utility Functions on Path Connected Spaces", *Journal of Mathematical Economics* 16: 147-156 (1987).
- Peleg, B. "Utility Functions for Partially Ordered Topological Spaces", Econometrica, 38: 545-569 (1970).
- Richter, M. "Rational Choice", in Chipman et al., *Preferences, Utility and Demand*, Harcourt Brace Jovanovich (1971).
- Subiza, B. Representaciones Numéricas de Preferencias Cuasitransitivas y Acíclicas. Tesis Doctoral. Universidad de Alicante (1992).

PUBLISHED ISSUES

FIRST PERIOD

1	"A Metatheorem on the Uniqueness of a Solution" T. Fujimoto, C. Herrero. 1984.
2	"Comparing Solution of Equation Systems Involving Semipositive Operators" T. Fujimoto, C. Herrero, A. Villar. February 1985.
3	"Static and Dynamic Implementation of Lindahl Equilibrium" F. Vega-Redondo. December 1984.
4	"Efficiency and Non-linear Pricing in Nonconvex Environments with Externalities" F. Vega-Redondo. December 1984.
5	"A Locally Stable Auctioneer Mechanism with Implications for the Stability of General Equilibrium Concepts" F. Vega-Redondo. February 1985.
6	"Quantity Constraints as a Potential Source of Market Inestability: A General Model of Market Dynamics" F. Vega-Redondo. March 1985.
7	"Increasing Returns to Scale and External Economies in Input-Output Analysis" T. Fujimoto, A. Villar. 1985.
8	"Irregular Leontief-Straffa Systems and Price-Vector Behaviour" I. Jimenez-Raneda / J.A. Silva. 1985.
9	"Equivalence Between Solvability and Strictly Semimonotonicity for Some Systems Involving Z-Functions" C. Herrero, J.A. Silva. 1985.
10	"Equilibrium in a Non-Linear Leontief Model" C. Herrero, A. Villar. 1985.
11	"Models of Unemployment, Persistent, Fair and Efficient Schemes for its Rationing" F. Vega-Redondo. 1986.
12	"Non-Linear Models without the Monotonicity of Input Functions" T. Fujimoto, A. Villar. 1986.
13	"The Perron-Frobenius Theorem for Set Valued Mappings" T. Fujimoto, C. Herrero. 1986.
14	"The Consumption of Food in Time: Hall's Life Cycle Permanent Income Assumptions and Other Models" F. Antoñazas. 1986.
15	"General Leontief Models in Abstract Spaces" T. Fujimoto, C. Herrero, A. Villar. 1986.

16	"Equivalent Conditions on Solvability for Non-Linear Leontief Systems" J.A. Silva. 1986.
17	"A Weak Generalization of the Frobenius Theorem" J.A. Silva. 1986
18	"On the Fair Distribution of a Cake in Presence of Externalities" A. Villar. 1987.
19	"Reasonable Conjetures and the Kinked Demand Curve" L.C. Corchón, 1987.
20	"A Proof of the Frobenius Theorem by Using Game Theory" B. Subiza. 1987.
21	"On Distributing a Bundle of Goods Fairly" A. Villar. 1987.
22	"On the Solvability of Complementarity Problems Involving Vo-Mappings and its Applications to Some Economic Models" C. Herrero, A. Villar. 1987.
23	"Semipositive Inverse Matrices" J.E. Peris. 1987.
24	"Complementary Problems and Economic Analysis: Three Applications" C. Herrero, A. Villar. 1987.
25	"On the Solvability of Joint-Production Leontief Models" J.E. Peris, A. Villar. 1987.
26	"A Characterization of Weak-Monotone Matrices" J.E. Peris, B. Subiza. 1988.
27	"Intertemporal Rules with Variable Speed of Adjustment: An Application to U.K. Manufacturing Employment" M. Burgess, J. Dolado. 1988.
28	"Orthogonality Test with De-Trended Data's Interpreting Monte Carlo Results using Nager Expansions" A. Banerjee, J. Dolado, J.W. Galbraigth. 1988.
29	"On Lindhal Equilibria and Incentive Compatibility" L.C. Corchón. 1988.
30	"Exploiting some Properties of Continuous Mappings: Lindahl Equilibria and Welfare Egalitaria Allocations in Presence of Externalities" C. Herrero, A. Villar. 1988.
31	"Smoothness of Policy Function in Growth Models with Recursive Preferences" A.M. Gallego. 1990.
32	"On Natural Selection in Oligopolistic Markets" L.C. Corchón. 1990.

33	"Consequences of the Manipulation of Lindahl Correspondence: An Example" C. Bevía, J.V. LLinares, V. Romero, T. Rubio. 1990.	
34	"Egalitarian Allocations in the Presence of Consumption Externalities" C. Herrero, A. Villar. 1990.	
SECOND PERIOD		
WP-AD 90-01	"Vector Mappings with Diagonal Images" C. Herrero, A.Villar. December 1990.	
WP-AD 90-02	"Langrangean Conditions for General Optimization Problems with Applications to Consumer Problems" J.M. Gutierrez, C. Herrero. December 1990.	
WP-AD 90-03	"Doubly Implementing the Ratio Correspondence with a 'Natural' Mechanism" L.C. Corchón, S. Wilkie. December 1990.	
WP-AD 90-04	"Monopoly Experimentation" L. Samuelson, L.S. Mirman, A. Urbano. December 1990.	
WP-AD 90-05	"Monopolistic Competition: Equilibrium and Optimality" L.C. Corchón. December 1990.	
WP-AD 91-01	"A Characterization of Acyclic Preferences on Countable Sets" C. Herrero, B. Subiza. May 1991.	
WP-AD 91-02	"First-Best, Second-Best and Principal-Agent Problems" J. Lopez-Cuñat, J.A. Silva. May 1991.	
WP-AD 91-03	"Market Equilibrium with Nonconvex Technologies" A. Villar. May 1991.	
WP-AD 91-04	"A Note on Tax Evasion" L.C. Corchón. June 1991.	
WP-AD 91-05	"Oligopolistic Competition Among Groups" L.C. Corchón. June 1991.	
WP-AD 91-06	"Mixed Pricing in Oligopoly with Consumer Switching Costs" A.J. Padilla. June 1991.	
WP-AD 91-07	"Duopoly Experimentation: Cournot and Bertrand Competition" M.D. Alepuz, A. Urbano. December 1991.	
WP-AD 91-08	"Competition and Culture in the Evolution of Economic Behavior: A Simple Example" F. Vega-Redondo. December 1991.	
WP-AD 91-09	"Fixed Price and Quality Signals" L.C. Corchón. December 1991.	
WP-AD 91-10	"Technological Change and Market Structure: An Evolutionary Approach" F. Vega-Redondo. December 1991.	

WP-AD 91-11 "A 'Classical' General Equilibrium Model" A. Villar. December 1991. WP-AD 91-12 "Robust Implementation under Alternative Information Structures" L.C. Corchón, I. Ortuño. December 1991. WP-AD 92-01 "Inspections in Models of Adverse Selection" I. Ortuño. May 1992. WP-AD 92-02 "A Note on the Equal-Loss Principle for Bargaining Problems" C. Herrero, M.C. Marco. May 1992. WP-AD 92-03 "Numerical Representation of Partial Orderings" C. Herrero, B. Subiza. July 1992. WP-AD 92-04 "Differentiability of the Value Function in Stochastic Models" A.M. Gallego. July 1992.